WEST Search History

Hide Items	Restore	Clear	Cancel
		6.000	110-140 (100 (100 (100 (100 (100 (100 (100 (

DATE: Monday, December 03, 2007

Hide?	Hit Count		
	DB=PG	PB; PLUR=YES; OP=ADJ	
	L4	L3 and pitzele	1
	L3	L2 and spangler	3
	L2	L1 and nagy	4
	L1	(becker and grapperhaus).in.	. 4

END OF SEARCH HISTORY

10/722,104 (RCE)

```
Welcome to STN International
               * * * * * * STN Columbus * * * * *
FILE 'HOME' ENTERED AT 10:05:54 ON 03 DEC 2007
=> file req
=> Uploading C:\Program Files\Stnexp\Queries\Queries\107221041203.str
chain nodes :
7 8 9 10 11 12 13 15 16
ring nodes :
1 2 3 4 5 6
chain bonds :
4-7 4-10 7-8 7-16 7-15 8-9 10-11 10-12 12-13
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds :
4-7 4-10 7-8 7-16 7-15 8-9 10-11 10-12 12-13
exact bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :
Match level:
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 15:CLASS 16:CLASS
Generic attributes :
8:
Saturation
               : Unsaturated
L1
       STRUCTURE UPLOADED
=> s ll sam
             3 SEA SSS SAM L1
L2
=> s 11 full
            41 SEA SSS FUL L1
=> file caplus
=> s 13
L4
            2 L3
=> s 14 and pd< nov 2002
     22819907 PD< NOV 2002
```

(PD<20021100)

L5 1 L4 AND PD< NOV 2002

=> dis 15 bib abs hitstr

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

AN 1999:388166 CAPLUS <u>Full-text</u>

DN 131:44740

TI Preparation of N-hydroxytetrahydropyridylsulfonylacetamides and related compounds as matrix metalloprotease inhibitors.

IN Dack, Kevin Neil; Whitlock, Gavin Alistair

PA Pfizer Limited, UK; Pfizer Inc.

SO PCT Int. Appl., 149 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

GΙ

PAN.		TENT			-	KIND DATE				APPL	ICAT	ION I		DATE						
PI	WO	WO 9929667					A1 19990617 AU, AZ, BA, BB,				WO 1	998-	EP66		19981009 <					
		W:																		
			-	-	-	-		GD,		-	-									
								LK,												
				-	-			RO,	-		SE,	SG,	SI,	SK,	SL,	TJ,	TM,	TK,		
		DET.						VN,			C7 T-7	7. m	D.D.	~ 11	αv	D.E.	DIZ	EC		
		RW:						SD,												
						-		IT,					SE,	Br,	ъо,	Cr,	CG,	CI,		
	C^{Λ}					GW,		MK, 1999		SN, TD, TG						1	10001000			
		CA 2312935 CA 2312935						2006									19901009 <			
						C A		1999			1 זות	000_	1230	1		19981009 <				
		AU 9912301 AU 741859						2001			AU I	. 9 9 9 -	1230	1		19901009 <				
		EP 1036062								EP 1998-955494						19981009 <				
		EP 1036062				B1		2004			FF 1990-900494						15501005 (
		R:		BE.	Сн.		DK.	ES,			GR.	TT.	T.T.	T.II.	NT	SE.	PΤ.	TE.		
						FI,		10,		UD,	0117	,	,	20,	112,	02,	,	,		
	BR	BR 9813360			A	110	2000	1017		BR 1	998-	1336	0		19981009 <					
		2000		1		Т2		2000										009 <		
		2001				A2		2001	0828			001-						009 <		
	HU	U 2001000845						2002	1228											
		2001		96		T		2001	1211		JP 2	000-	5242	64		1	9981	009 <	<	
	JΡ	JP 3445242				В2		2003	0908											
		5044				Α		2002	0201		NZ 1	998-	5044	21		19981009 <				
	AT	2571	51			T		2004	0115		AT 1	998-	9554	94		19981009				
		1036				T	20040430									19981009				
•		2212	373			Т3						998-				19981009				
	ΑP	930				Α	20010126			AP 1998-1412						19981203 <				
		W:		GM,	GH,		MW,			ZM, ZW ZA 1998-11112										
		9811			•	Α		2000												
		2000				Α		2000			NO 2	:000-	2826			2		602 <		
		2000		73		A1	20001231			HR 2000-373 BG 2000-104506 MX 2000-PA5520						20000605 <				
		1045				A		2001			BG 2000-104506					20000605 <				
		2000		520		A A B1		2001	0219	MX 2000-PA5520 US 2001-423359										
		6495				В1		2002			US 2	001-	4233	59		2	0011	012		
PRAI				82		A		1997												
		1998				W		1998	1009											
OS	MAE	RPAT	131:	44/4	U															

Page 2 of 6

Ι

Title compds. [I; dotted line = optional double bond; A = C, CH; B = CH2, O, null; R1, R2 = H, (substituted) alkyl, alkenyl; R1R2C = (benzo-fused) C3-6 cycloalkyl group optionally incorporating O, SO, SO2, NR6; R3 = H, halo, R7, OR7; R4 = H, alkyl, alkoxy, CF3, halo; R6 = H, alkyl; R7 = (substituted) mono-or bicyclic ring system; m = 1, 2; n = 0-2; with the proviso that B is not O when A is C], were prepared as MMP inhibitors useful in the treatment of tissue ulceration, wound repair and skin diseases. Thus, Me 2-[4-(3-methyl-4-phenylphenyl)-1,2,3,6-tetrahydropyridin-1- ylsulfonyl]acetate (preparation given) was refluxed with NH2OH.HCl and K2CO3 in THF/MeOH to give N-hydroxy-2-[4-(3-methyl-4-phenylphenyl)-1,2,3,6-tetrahydropyridin-1-ylsulfonyl]acetamide. The latter inhibited matrix metalloproteinase 3 with IC50 = 16 nM.

IT 227304-22-5P 227304-26-9P 227304-35-0P 227304-36-1P 227304-51-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-hydroxytetrahydropyridylsulfonylacetamides and related compds. as matrix metalloprotease inhibitors)

RN 227304-22-5 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[[3,6-dihydro-4-(3'-methoxy-2-methyl[1,1'-biphenyl]-4-yl)-1(2H)-pyridinyl]sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)

RN 227304-26-9 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[[4-(3'-ethoxy-2-methyl[1,1'-biphenyl]-4-yl)-3,6-dihydro-1(2H)-pyridinyl]sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)

RN 227304-35-0 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[(4-[1,1'-biphenyl]-4-yl-3,6-dihydro-1(2H)-pyridinyl)sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)

RN 227304-36-1 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[[4-(4'-ethoxy-2-methyl[1,1'-biphenyl]-4-yl)-3,6-dihydro-1(2H)-pyridinyl]sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)

RN 227304-51-0 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[[3,6-dihydro-4-(2-methyl[1,1'-biphenyl]-4-yl)-1(2H)-pyridinyl]sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s 14 not 15

L6 1 L4 NOT L5

=> dis 16 bib abs fhitstr

- L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
- AN 2004:467885 CAPLUS Full-text
- DN 141:38527
- TI Preparation of heteroarylsulfonylmethyl hydroxamic acids and amides and their use as protease inhibitors
- IN Becker, Daniel P.; Carroll, Jeffery N.; Fobian, Yvette M.; Grapperhaus,
 Margaret L.; Hansen, Donald W., Jr.; Heintz, Robert M.; Kassab, Darren J.;
 Massa, Mark A.; McDonald, Joseph J.; Nagy, Mark A.; Pitzele, Barnett S.;
 Rico, Joseph G.; Schmidt, Michelle A.; Spangler, Dale P.
- PA Pharmacia Corporation, USA
- SO PCT Int. Appl., 252 pp. CODEN: PIXXD2
- DT Patent
- LA English

FAN.	CNT 1																		
	PATENT NO.					KIND DATE			1	APPL	ICAT	ION I	DATE						
PI		A2 20040610				WO 2	003-	us37:	20031124										
	WO 2004048368				A3														
	W:	ΑE,	AG,	ΑL,	ΑM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	,	
		CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FΙ,	GB,	GD,	GE,	GH,		
		GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	ΚZ,	LC,	LK,	LR,		
		LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NI,	NO,	NZ,	OM,		
		PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	ТJ,	TM,	TN,		
		TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW					
	RW:	BW,	GH,	GM,	ΚE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	ΑZ,		
		BY,	KG,	ΚZ,	MD,	RU,	ΤJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,		
		ES,	FI,	FR,	GB,	GR,	НU,	ΙE,	ΙΤ,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,		
		TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	TD,	ΤG	
	CA 2506	796			A1	A1 20040610				CA 2003-2506796					20031124				
	AU 2003300800				. A1		2004	0618		AU 2	003-	3008	00		2	0031	124		
	EP 1565	459			A2	20050824			EP 2003-812052						20031124				
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,		
		IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR,	BG,	CZ,	EE,	HU,	SK			
	BR 2003016506					20051004			BR 2003-16506						20031124				
	JP 2006	5132	70		T	20060420			JP 2005-510336						20031124				
	US 2004142979					20040722			US 2003-722104						20031125				
	MX 2005	PA05	474		Α		2005	0725	MX 2005-PA5474										
PRAI	US 2002	-429	068P		P		2002	1125											
	US 2003	-504	281P		P		2003	0919											
	WO 2003	-US3	7942		W		2003	1124											
OS	MARPAT	141:	3852	7															
GI																			

Title compds. I [wherein A1 = H, OH, cycloalkyloxy, heterocyclyloxy; A2, A3 = independently H, (un)substituted (cyclo)alkyl(thio), alkenyl, alkynyl, heterocyclyl, etc.; or CA2A3 = (un)substituted cycloalkyl, heterocyclyl, such as tetrahydropyranyl; E1 = (un)substituted heteroaryl; E2 = (un)substituted cycloalkyl; E3 = a bond, O, CO, CO2, OCO, S, SO, SO2, OSO2, SO2O, C(=NH), C(=NOH), (un)substituted NH, CONH, NHCO, CONHNHCO, NHCONH, NHSO2, SO2NH, NHC(=NH), NHC(=NOH), C(=NH)NH, C(=NOH)NH, (carbonyl)alkyl, alkenyl, alkanoyl; E4 = H, halo, CN, (un)substituted (cyclo)alkyl, alkenyl, alkynyl, heterocyclyl; and salts thereof] were prepared as inhibitors of protease activity, particularly matrix metalloproteinase (MMP), TNF-α convertase, or aggrecanase activity. For example, coupling of 2-thiopheneboronic acid with 4-butoxybromobenzene gave 2-(4-butoxyphenyl)thiophene (58%), which was treated

II

10/722,104 (RCE)


with Me disulfide and Oxone to afford the 5-(methylsulfonyl)thiophene derivative (58%). Reaction of the Me sulfone with t-Bu carboxylate anhydride using lithium bis(trimethylsilyl)amide provide the tert-Bu $\alpha-$ (thienylsulfonyl)acetate (89%). Tert-Bu 4-[[5-(4-butoxyphenyl)thien-2-yl]sulfonyl]tetrahydro-2H-pyran-4-carboxylate (91%) was produced by cycloaddn. of the acetate with bis(bromoethyl) ether in the presence of 18-crown-6. Deesterification (85%) with TFA, followed by amidation (100%) with O-(tetrahydro-2H-pyran-2-yl)hydroxylamine and O-deprotection (74%) with HCl gave II. The latter inhibited the human recombinant MMP-1, MMP-2, MMP-9, MMP-13, and MMP-14 cleavage of peptide substrates with Ki values of >1250 nM, 0.483 nM, 0.806 nM, 0.127 nM, and 466 nM, resp. Thus, I and their pharmaceutical compns. are useful for treating tissue destruction, fibrotic diseases, matrix weakening, defective injury repair, cardiovascular disease, pulmonary disease, kidney disease, liver disease, ophthalmol. disease, and/or CNS diseases (no data).

IT 701270-37-3P, 4-[[5-(4-Butoxyphenyl)thien-2-yl]sulfonyl]-Nhydroxytetrahydro-2H-pyran-4-carboxamide
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(protease inhibitor; heteroarylsulfonylmethyl hydroxamic acids and amides and their use as protease inhibitors)

RN 701270-37-3 CAPLUS

CN 2H-Pyran-4-carboxamide, 4-[[5-(4-butoxyphenyl)-2-thienyl]sulfonyl]tetrahydro-N-hydroxy- (CA INDEX NAME)



=> log y STN INTERNATIONAL LOGOFF AT 10:07:33 ON 03 DEC 2007